

## **DECLARATION OF PERFORMANCE**

## DoP\_AD5166\_01

1. ID code of the product type

**DELTA 1300 Series Overhead Door Closer** 

2. Manufacturer

UCEM Sistemas de Seguridad, S.A. Polígono Kataide, s/n 20500 Arrasate-Mondragón (Guipúzcoa) SPAIN

3. Intended Use

For use on fire rated single leaf and double leaf doors

4. Certification System

SYSTEM 1

5. Notified Body

WARRINGTON CERTIFICATION LTD., Notified Body  $n^0$  1121 Initial type tests and inspection of FPC System 1

Certificate 1121 - CPR - AD5166, issued on 05/09/2014

6. Declared performances

STANDARD DOOR MOUNT PULL SIDE APPLICATION

Essential Characteristics	Performance	Harmonised Technical Specifications
CATEGORY OF USE	Grade 4	
DURABILITY	Grade 8	
CLOSING FORCE	EN3	
SUITABILITY FOR USE ON FIRE/SMOKE DOORS	Grade 1	EN 1154.1990 / A1.2002 / AC.2000
SAFETY	Grade 1	]
CORROSION RESISTANCE	Grade 3	

#### PARALLEL ARM APPLICATION

Essential Characteristics	Performance	Harmonised Technical Specifications
CATEGORY OF USE	Grade 3	EN 1154:1996 / A1:2002 / AC:2006
DURABILITY	Grade 8	
CLOSING FORCE	EN3	
SUITABILITY FOR USE ON FIRE/SMOKE DOORS	Grade 1	
SAFETY	Grade 1	
CORROSION RESISTANCE	Grade 3	

DoP\_AD5166\_01 1/1



# **DECLARATION OF PERFORMANCE**

## DoP\_AD5166\_01

7. The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

The Declaration of Performance is issued under the sole responsibility of *UCEM Sistemas de Seguridad, S.A.* 

In Vitoria-Gasteiz, on 1st January 2016

Santiago Rodríguez General Manager

SISTEMAS DE SEGURIDAD, S.A.

DoP\_AD5166\_01 1/1